



GBK USA INC.

TRUCK AND TRAILER SPECIALIST



GBK USA INC.

2026 PRODUCT CATALOG

Premium Quality of Brake System Components.
Extensive Line of Brake Drum, Hub, Rotor.
International Quality Standard - ISO 9001 / IATF 16949
US Standard FMVSS-121

Contact 718-971-0993 | Email: admin@gbkparts.com | Web: <https://gbkparts.com>



BRAKE DRUM

P4



01

**BRAKE SHOES
LINING, KITS**

P6



02

ROTOR

P8



03

BRAKE CHAMBER

P9



04

**AUTOMATIC
SLACK ADJUSTER**

P10



05

LANDING GEAR

P12



06

AIR DRYER

P13



07

Chrome Parts

P17



08

ALTERNATOR

P21



09

GBK USA

TABLE OF CONTENTS

ABOUT US

GBKUSA INC. DBA GBK Truck Parts specializes in Heavy Duty truck and trailer parts in USA, Canada. We focus on our high quality and low-cost products. Our products have been approved for SAE standard and FMVSS-121 and performs for a very long time.

MISSION

To provide reliable, high-performance parts for Medium-duty, heavy-duty trucks and trailers, ensuring safety and durability on every mile.

VISION

To become the most trusted brand in North America for heavy-duty braking systems through innovation, quality, and customer commitment.

CORE VALUES



QUALITY FIRST



RELIABILITY



INTEGRITY



CUSTOMER FOCUS



INNOVATION



GBK MANUFACTURING STANDARD

GBK's standard products use one source of raw materials, product castings and machining dimensions, paint, E-coat antirust oil, pallet materials and dimension, plastic cloth, steel belt, casting marks, paint marks — and there is a laser print on every product surface to ensure a high level of quality. We produce in mass quantity using the same production line, making production more economical. We have available inventory on most popular products and can deliver promptly.

CERTIFICATION & COMPLIANCE

All GBK products comply with SAE International and FMVSS-121 standards. Our factories maintain ISO/TS16949 and ISO9001 certifications to ensure consistency in every production run.

BRAKE DRUM

GBK brake drums are precision-balanced for trucks and trailers, available in popular brake sizes from 15"×4" to 16.5"×8.62". Manufactured to SAE and FMVSS-121 standards with E-coat anti-rust treatment for extended service life. Compatible with Meritor, Bendix, and major OEM axle systems.



GBK P/N	Cross Ref	Info	Weight (lbs)	Brake Size	Bolt Holes	GBK Brake Shoes No.
GD3000	3922X /56864B / TF1657BXN / 151.6726BA /HDV1601B	Balanced	102	16.5*7	10	B-470723K
GD3001	3600AX /66864B/TF1657B N/151.6700BA	Balanced	108	16.50×7	10	B-470723K
GD3012	3687X/65152B/65 162B/151.6602BA	Balanced	105	16.50×6	10	
GD3018	3710X/65710B/TF3 710X/151.6501BA	Balanced	96	16.50×5	10	
GD3022	3141B/66875B	Balanced	105	16.50×7	10	
GD3025	3166/66853B/ 66893B/151.6713/ HDV1603	Balanced	115	16.50×7	10	
GD3027	2983C/67518F/151. 6704/HDV1605	Balanced	108	16.50×7	10	
GD3034	3295B/68981B/151. 6722	Balanced	107	16.50×7	10	
GD3040	3782X/66800B	Balanced	75	16.5*8	10	

BRAKE DRUM

GBK brake drums are precision-balanced for trucks and trailers, available in popular brake sizes from 15"×4" to 16.5"×8.62". Manufactured to SAE and FMVSS-121 standards with E-coat anti-rust treatment for extended service life. Compatible with Meritor, Bendix, and major OEM axle systems.



GBK P/N	Cross Ref	Info	Weight (lbs)	Brake Size	Bolt Holes	GBK Brake Shoes No.
GD3044	3721AX/77528B/ 61528B/151.5401B A/HDV1501B	Balanced	77	15×4	10	
GD3046	3721X/61527B	Balanced	79	15*4	10	
GD3052	3807X/66854F/ 66809B/151.6860 7BA	Balanced	118	16.5*8.62	10	B-471023K
GD3053	3800X/65548B/1 51.5403BA	Balanced	77	15*4	10	
GD3055	3750X/61988B	Balanced	112	15*8.62	10	
GD3057	3774X/65154B	Balanced	84	15*5	10	
GD3059	3757X/66353B/1 51.6714BA	Balanced	114	16.5"*7"	10	
GD3061	3887/63680F	Balanced	83	12.25*7.5	8	
GD3054	3758X/65151B	Balanced	96	16.50*5	10	

BRAKE SHOES, LINING, KITS



GBK P/N	Grade	Size	Rivets	KITS
B-1308E	23K. FF	15"*4"	14	E5139
B-1308Q	23K. FF	15"*4"	14	E3869, KIT8029
BS1308T	23K. FF	15"*4"	14	
BS1443	23K. FF	15"*4"	14	
BS1443E	23K. FF	15"*5"	14	E5139
BS4223E	23K. FF	16.5"*5"		
BS4228F	23K. FF	14.5"*6"		
BS4311E	23K. FF	16.5"*7"	28	E1887AHD
BS4317E	23K. FF	16.5"*6"		
B-4398B	23K. FF	14.5"*5"		
B-4471	23K. FF	18"*7"		
B-4514	23K. FF	16.5"*6"		E2769SHD, KIT8000HD
B-4515E	23K. FF	16.5"*7"	32	E1816SHD, KIT9001
B-4515Q	23K. FF	16.5"*7"	32	E2769SHD, KIT8000HD
B-4516	23K. FF	16.5"*8"		
B-4524Q	23K. FF	16.5"*5"		E2769SHD, KIT8000HD
B-4536	23K. FF	12.25"*5.5"	18	

BRAKE SHOES, LINING, KITS

GBK P/N	Grade	Size	Rivets	KITS
B-4551E	23K. FF	16.5"*8.65"	32	
B-4551H	23K. FF	16.5"*8.65"	32	
B-4551P	23K. FF	16.5"*8.65"	32	
B-4551Q	23K. FF	16.5"*8.65"	32	E2769SHD, KIT8000HD
B-4591E	23K. FF	16.5"*7.5"	24	
B-4702Q	23K. FF	15"*4"	16	E9064, KIT8824HD
B-4705	23K. FF	15"*7"	32	
B-4707Q23K	23K. FF	16.5"*7"	32	E2769SHD, KIT8000HD
B-4709ESII	23K. FF	16.5"*7"	32	E10244S
B-4710	23K. FF	15"*8.62"	32	KIT8824HD/MKT4702K T
B-4711	23K. FF	16.5"-8.62"	28	KIT8000HD
B-4719	23K. FF	16.5"*5"	20	R507094/MKT4709ES2 -N
B-4720	23K. FF	16.5"*5"	16	KIT8081
B-4724	23K. FF	15"*10"		E9039
B-4725	23K. FF	16.5"*6"	20	R507094
B-4726	23K. FF	16.5"*8.62"	32	MKT4709ES2-N

ROTOR

GBK disc brake rotors are precision-machined for air disc brake systems on heavy-duty trucks and buses. Compatible with SK7, SB7, and EX225 calipers, fitting applications from PACCAR and Freightliner to Volvo, Mack, Prevost, and MCI. Each rotor meets OEM dimensional specifications for reliable, vibration-free braking performance.



GBK P/N	Cross Reference	Caliper	Application
GR800	Meritor M44D76692, Bendix 802569, 802083, Conmet 100025445, Automann 153.1802569, Centric 120.86017, Durabrake 76692, Hendrickson S-29152-17 VOLVO/MACK 21538404	SK7	PACCAR Front
GR801	Meritor M44D76618, Webb 56096P, Bendix 802081, K035873	SK7	29 Front FL Century and Columbia 2010 to Present
GR802	Meritor M44D76617, Bendix 802082	SK7	FL, Mack, Volvo Front
GR803	Meritor M44D76612, Bendix K021958, Webb 55060P, B221412 / 82135830 / 1415147	SB7	Nova Bus
GR804	Meritor M44D76603, Bendix 1137415N, Prevost 611188, 611456	SB7	Bendix, Prevost Front & Tag Axles
GR805	Meritor 123547, 23-123547-002, 3218Z1404, MCI 15-02-1010	SB7	Meritor, MCI E Bus All Axles
GR806	Meritor 68326014, Webb 54220P, 454220F, MCI 15-02-1067	EX225	MCI J&D Bus Front&Tag
GR807	Meritor M44D6604, Bendix K021959, 1137986, Webb 56050F, Prevost 611457, 621672	SB7	Bendix, Prevost Drive Axle
GR808	Meritor M44D76642, Bendix K034497BXW, Z000557, 658470 / 658739/ 657303	SK7	Bendix OTR Calipers
GR809	Meritor MBR9016, 68323736, 68325977, Van Hool 10721062, 10977055	SB7	Van Hool Drive Axles

REGULAR BRAKE CHAMBER

GBK#	Industrial No.	Description	Weight (lbs)
GT-20/24	OTR2024AD		17.15
GT-24/24	MA1544119QE410AP3		17.86
GT-24/30	16078119QE453RP3		20.28
GT-24/30LS	19QE453RP3		20.94
GT-30/30	MA1543119QE441RP1		20.94
GT-30/30U	MA15431		20.94
GT-30/30L	T30/30DD-L		
GT-30/30WC	T30/30-WC	Spring Brake, Welded Clevis, 2.5" Stroke, 3/8"-18NPT	
GT9	MA36090		4.19
GT12	288795		5.07
GT16	KN36160288799		6.61
GT20	KN36200288803		8.82
GT20L	KN36200288803		9.04
GT24	KN36240MA362402888 08		9.04
GT30	KN36300288813		10.58

DISC BRAKE CHAMBER


GBK#	Industrial No.	Stroke	Port Thread	Bolt Thread	Push Rod thread	Push rod length
GT-18/24D	T18/24DD-Disc	2.25"	3/8"-18NPT	5/8"-11UNC	5/8"-18UNF	0.6"
GT-16/24D	T-16/24DD-Disc	2.25"	3/8"-18NPT	5/8"-11UNC	5/8"-18UNF	0.6"
GT-20/24D	T-20/24DD	3"	3/8"-18NPT	5/8"-11UNC	5/8"-18UNF	0.6"
GT-22/24D	T-22/24DD	3"	3/8"-18NPT	5/8"-11UNC	5/8"-18UNF	0.6"
GT-24/24	T-24/24DD	3"	3/8"-18NPT	5/8"-11UNC	5/8"-18UNF	0.6"

AUTOMATIC SLACK ADUSTER

Our Performance Advantages:

- Maximum reliability and robustness
- Lowest cost and lightest weight on the market
- Only ASA that adjusts on chamber stroke

Uniquely designed to adjust on chamber stroke, GBK ASAs ensure precise, consistent brake adjustment on every stop – minimizing maintenance downtime and keeping your fleet fully compliant on every mile.




GBK P/N	Industrial No.	Arm Length	No. Of Splines	Splines Dia.
GA1133	Gunite:AS1133 Sirco:2172 Bendix: 065172 MidGBK:CS56033	6"	10	1-1/2"
GA1132	Gunite:AS1132/AS1147 Bendix:065170 Sirco:SA2170 MidGBK:CS56032 Meritor: R801043	6"	10	1-1/2"
GA1140	Gunite:AS1140 Bendix:065174 Sirco:SA2174 MidGBK:CS56040 Meritor: R801079	5-1/2"	28	1-1/2"
GA1141	Gunite:AS1141/AS1151 Bendix:065175 Sirco:SA2175 MidGBK:CS56041	6-1/2"	28	1-1/2"
GA1144	Gunite:AS1144 Bendix:065179 MidGBK:CS56044 Sirco:SA2179	6"	37	1-5/8"
GA11398	Meritor: R801041 Euclid: 11398	5.5"	10	1-1/2"
GA11399	Meritor: R801042 Euclid:11399	6"	10	1-1/2"
GA801073	Meritor:R801073 Euclid:11401	5.5"	28	1-1/2"
GA801074	Meritor:R801074 Euclid:11402	6"	28	1-1/2"
GA11395	Meritor:R801001 Euclid:11395	5.5"	10	1-1/4"
GA11396	Meritor:R801002 Euclid:11396	5.5"		1-1/4"

AUTOMATIC SLACK ADUSTER

Our Performance Advantages:

- Maximum reliability and robustness
- Lowest cost and lightest weight on the market
- Only ASA that adjusts on chamber stroke

Uniquely designed to adjust on chamber stroke, GBK ASAs ensure precise, consistent brake adjustment on every stop – minimizing maintenance downtime and keeping your fleet fully compliant on every mile.



GBK P/N	Industrial No.	Arm Length	No. of Splines	Splines Dia.
GA11405	Meritor:R801101 Euclid:11405	5.5"		1-5/8"
GA801102	Meritor:R801102	6"		1-5/8"
GA10103	SA10103 Euclid:E-6924B Spicer:818552, Meritor:R806022 Haldex: 40010143 BWP: M-4058 Dayton: 05-661	5.5" & 6.5"	10	1-1/2"
GA10211	SA10211, KSA10211, BWP:M-4065, Euclid:E-6944 Meritor:R806019, Haldex:40010211, 400-10211, 409-10683, 40910683, BWP: M-4065, Dayton: 05-668	5.5"	28	1-1/2"
GA10101	SA10101, KSA10141, BWP: M-4060, Haldex: 40010141, 400-10141, 409-10814, 40910814, 409-10408, 40910408, 409-10650, 40910650, Euclid E-6927B, KSA10141, Dayton: 05-663	5.5" & 6.5"	28	1-1/2"
GA1041	Meritor: R801071/801075 Gunite: 1041/1141 Euclid: E11402	6"	28	1 1/2"
GA1039	Haldex: 400-10140 Gunite AS1039 Euclid: E- 6925B	5.5"	28	1 1/2"
GA10212	Haldex: 400-10212	6"	28	1 1/2"
GA1039	Haldex: 400-10140 Gunite AS1039 Euclid: E- 6925B	5.5"	28	1 1/2"
GA10212	Haldex: 400-10212	6"	28	1 1/2"

LANDING GEAR


GBK landing gears are built for heavy trailer operations, supporting static loads up to 170,000 lbs.



GBK P/N	Cross Ref.	Gear Box	Mount Type	Mounting Plate	Height	Travel Dist.	SHOES TYPE	Lift Capacity (lbs)	Static Load (lbs)
LG5517	51000 / ATLAS 55	Outer	Universal	8 holes	28.6"	17"	Standard Sandshoe	55,000 lbs	170,000 lbs
LG5519	51000 / ATLAS 55	Outer	Universal	8 holes	30.7"	19"	Standard Sandshoe	55,000 lbs	170,000 lbs
LG6514	ATLAS 65 50000	Outer	Universal	10 holes	28"	14"	Standard Sandshoe	60,000 lbs	170,000 lbs
LG6517	ATLAS 65 50000	Outer	Universal	10 holes	31"	17"	Standard Sandshoe	60,000 lbs	170,000 lbs
LG6519	ATLAS 65 50000	Outer	Universal	10 holes	33"	19"	Standard Sandshoe	60,000 lbs	170,000 lbs
LG6527	ATLAS 65 50000	Outer	Universal	10 holes	31"	17"	Low Profile Sandshoe	60,000 lbs	170,000 lbs
LG6529	ATLAS 65 50000	Outer	Universal	10 holes	33"	19"	Low Profile Sandshoe	60,000 lbs	170,000 lbs
LG4007	Jost A400.T.17	Inner	Outer mount	10 holes	31"	17"	Standard Sandshoe	60,000 lbs	170,000 lbs
LG4009	Jost A400.T.19	Inner	Outer mount	10 holes	33"	19"	Standard Sandshoe	60,000 lbs	170,000 lbs
LG4017	Jost A401.T.17	Inner	Inner mount	10 holes	31"	17"	Standard Sandshoe	60,000 lbs	170,000 lbs
LG4019	Jost A401.T.19	Inner	Inner mount	10 holes	33"	19"	Standard Sandshoe	60,000 lbs	170,000 lbs

AIR DRYER

GBK air dryers protect your truck's air brake system from moisture and contaminants, extending the life of valves, chambers, and lines.



GBK P/N	INDUSTRIAL TYPE/No.	SUP Port	DEL Port	CON Port	Heater Voltage	GBK P/N	INDUSTRIAL TYPE/No.	SUP Port	DEL Port
GAD06 5225	AD-9 065225 / 109685X	1/2"-NPT	1/2"-NPT	1/4"-NPT	12V-75W	GAD065225	AD-9 065225 / 109685X	1/2"-NPT	1/2"-NPT
GAD06 5226	AD-9 065226 / 109687X	3/4"-NPT	3/4"-NPT	1/4"-NPT	12V-75W	GAD065226	AD-9 065226 / 109687X	3/4"-NPT	3/4"-NPT
GAD06 5224	AD-9 065224 / 800686	1/2"-NPT	1/2"-NPT	1/4"-NPT	24V-75W	GAD065224	AD-9 065224 / 800686	1/2"-NPT	1/2"-NPT
GAD80 0243	800243	3/4"-NPT	3/4"-NPT	1/4"-NPT	24V-75W	GAD800243	800243	3/4"-NPT	3/4"-NPT
GAD06 5612	AD-IP 065612 / 109477X	1/2"-NPT	1/2"-NPT	1/4"-NPT	24V-90W	GAD065612	AD-IP 065612 / 109477X	1/2"-NPT	1/2"-NPT
GAD06 5613	AD-IP 065613 / 109478X	1/2"-NPT	1/2"-NPT	1/4"-NPT	12V-90W	GAD065613	AD-IP 065613 / 109478X	1/2"-NPT	1/2"-NPT
GADSS1 200P	4324711010	1/2"-NPT	1/2"-NPT	1/4"-NPT	12V-100W	GADSS1200P	4324711010	1/2"-NPT	1/2"-NPT
GAD955 205	AD-SP R955205	1/2"-NPT	1/2"-NPT	1/4"-NPT	12V-75W	GAD955205	AD-SP R955205	1/2"-NPT	1/2"-NPT
GAD955 300	R955300	1/2"-NPT	1/2"-NPT	1/4"-NPT	12V-75W	GAD955300	R955300	1/2"-NPT	1/2"-NPT
GAD955 079	R955079	1/2"-NPT	1/2"-NPT	1/4"-NPT	12V-75W	GAD955079	R955079	1/2"-NPT	1/2"-NPT
GAD80 0887	AD-SP 800887 / 131031 / 065691	1/2"-NPT	1/2"-NPT	1/4"-NPT	12V-90W	GAD800887	AD-SP 800887 / 131031 / 065691	1/2"-NPT	1/2"-NPT
GAD80 0972	AD-SP 800972 / 131032	1/2"-NPT	1/2"-NPT	1/4"-NPT	24V-90W	GAD800972	AD-SP 800972 / 131032	1/2"-NPT	1/2"-NPT
GAD092 871	AD-9SI K092871	1/2"-NPT	1/2"-NPT	1/4"-NPT	12V-75W	GAD092871	AD-9SI K092871	1/2"-NPT	1/2"-NPT

AIR DRYER

GBK air dryers protect your truck's air brake system from moisture and contaminants, extending the life of valves, chambers, and lines.

GBK P/N	INDUSTRIAL TYPE/No.	SUP Port	DEL Port	CON Port	Heater Voltage	GBK P/N	INDUSTRIAL TYPE/No.	SUP Port	DEL Port
GAD092873	AD-9SI K092873	1/2"-NPT	1/2"-NPT	1/4"-NPT	12V-75W No Governor	GAD092873	AD-9SI K092873	1/2"-NPT	1/2"-NPT
GAD9020	LA9020	M22*1.5	M22*1.5	M12*1.5	12V-90W	GAD9020	LA9020	M22*1.5	M22*1.5
GAD4810	ZB4810	M22*1.5	M22*1.5	M12*1.5	12V-90W	GAD4810	ZB4810	M22*1.5	M22*1.5
GAD35200	DA35200	1/2"-NPT	1/2"-NPT	1/4"-NPT	12V-90W	GAD35200	DA35200	1/2"-NPT	1/2"-NPT
GAD4324252	4324252000	1/2"-NPT	1/2"-NPT	1/4"-NPT	12V-90W	GAD4324252	4324252000	1/2"-NPT	1/2"-NPT
GAD4324101020	4324101020	M22*1.5	M22*1.5	M12*1.5	12V-90W	GAD4324101020	4324101020	M22*1.5	M22*1.5

GBK P/N	INDUSTRIAL TYPE/No.	SUP Port	PRI Port	SEC Port	PRESSURE	Heater Voltage
GAD800383	AD-IS 800383X	1/2"-NPT	1/4"-NPT	1/4"-NPT	109PSI	12V-90W
GAD801164	AD-IS 801164 / 5010211X	1/2"-NPT	1/4"-NPT	1/4"-NPT	106PSI	24V-90W
GAD801266	AD-IS 801266 / 5010696X / R955500405 0X	1/2"-NPT	1/4"-NPT	1/4"-NPT	109PSI	12V-90W

AIR DRYER CARTRIDGE



GBK P/N	INDUSTRIAL TYPE	INDUSTRIAL NO.
G109994	AD-SP	5008414 /109994 / R950011
G107794	AD-9	107794X
G109493	AD-IP	109493 /065624
G109493PG	AD-IP	109493PG /065624PG
G950011	AD-IS	5008414
G104358	AD-4	104358

AIR DRYER PURGE VALVE



GBK P/N	INDUSTRIAL NO.	Description
GPV800405	AD-9 800405/ 5004341	12V-75W White
GPV5004342	AD-9 5004342 / 5004338	24V-75W Grey
GPV5004381	AD-9 5004381	24V-100W Yellow
GPV800404	AD-IP 800404 / K2022105	
GPV022105	AD-IS/AD-IP/AD-9si K022105	

AIR DRYER REPAIR KIT



GBK P/N	INDUSTRIAL TYPE	INDUSTRIAL NO.
GADK109995	AD-SP Repair Kit	109995
GADK109495	AD-IP Heater Repair Kit 12V-90W White	109495
GADK109496	AD-IP Heater Repair Kit 24V-90W Grey	109496
GADK950015	AD-SP Heater Repair Kit 12V-100W	109493PG /065624PG
GADK109579	24V-75W Grey	109579
GADK109578	12V-75W White	109578
GADK5002595	24V-100W Yellow	5002595

AIR DRYER VALVE

GBK P/N	INDUSTRIAL TYPE	INDUSTRIAL NO.
GADGV5004049	AD-IS Governor Valve	5004049K / 065018
GADGV800361	AD-IS Governor Valve	800361
GADGV275200	AD-2 275200 Governor Valve	90-105PSI
GADGV275491	AD-2 275491 Governor Valve	100-120PSI
GADGV283657	AD-2 283657 Governor Valve	115-135PSI
GADGV4324709202	AD4324711010Governor Valve	115-135PSI
GADV107800	AD-9 Check Valve ½" NPT, O-Ring & Grease	107800
GADV140370	Pressure Protective Valve 1/4"NPT Sup Port,1/4"NPT Del Port 60PSI	140370
GADV140280	Pressure Protective Valve 3/8"NPT Sup Port,3/8"NPT Del Port 70PSI	140280
GADV286500	Pressure Protective Valve 1/4"NPT Sup Port,1/4"NPT Del Port 95PSI	286500
GADV288323	Pressure Protective Valve 3/8"NPT Sup Port,3/8"NPT Del Port 90PSI	288323

MUD FLAP HANGER

GBK P/N	INDUSTRIAL NO.	Description	Bolt Distance	Photo
GM3001	646CH-1	Chrome, 30" Length Heavy Duty Spring Loaded	2.5"	
GM3003	646CH-3	Chrome, 30" Length Heavy Duty Spring Loaded	1 - 1/8"	
GM3004	646SS-1	Stainless Steel 430SS, 30" Length Heavy Duty Spring Loaded	2.5"	
GM3006	646SS-3	Stainless Steel 430SS, 30" Length Heavy Duty Spring Loaded	1 - 1/8"	
GM3007	646BK-1	Black 30" Length Heavy Duty Spring Loaded	2.5"	
GM3009	646BK-3	Black 30" Length Heavy Duty Spring Loaded	1-1/8"	
GM3013	646SS-RE-1	W/CONSPICUITY REFLECTOR Stainless Steel 430SS Heavy Duty Spring Loaded	2.5"	
GM3015	646SS-RE-3	W/CONSPICUITY REFLECTOR Stainless Steel 430SS Heavy Duty Spring Loaded	1 - 1/8"	
GM3016	646BK-RE-1	W/CONSPICUITY REFLECTOR BLACK 30" Heavy Duty Spring Loaded	2.5"	
GM3018	646BK-RE-3	W/CONSPICUITY REFLECTOR BLACK 30" Heavy Duty Spring Loaded	1 - 1/8"	
GM3020	649BK-2	Black 30" Straight, Cross Ref MFH30B	1 - 1/8"	
GM3021	649SS-3	Stainless Steel 30" 430SS Spring Loaded Straight	1-1/8"	
GM3025	650BK-1	Black 30" Length, Heavy Duty Spring Loaded 45° Angled	2.5"	

MUD FLAP HANGER

GBK P/N	MODEL	Description	Bolt Distance	Photo
GM3027	650BK-3	Black 30" Length, Spring Loaded 45° Angled	1- 1/8"	
GM3028	650SS-1	Stainless Steel 430SS, 30" length Spring Loaded 45° Angled	2.5"	
GM3030	650SS-3	Stainless Steel 430SS, 30" length Spring-loaded 45° Angled	1- 1/8"	
GM3031	648BL-1	Black 28", 45° Angled	2.5"	
GM3032	648BL-1	Black Round Tube Style with a 45° angle Cross Ref. 648B-SL MFH275B	1- 1/8"	
GM3033	648SS-3	Stainless Steel 28", 45° Angled, MFH27S	2.5"	
GM3034		Stainless Steel 430SS, Spring Loaded, Light Bar w/ 4" Light Cutouts	1- 1/8"	
GM3035	2002S, MFH2002212 6	Stainless Steel 430SS, Spring Loaded Light Bar w/ Six Oval Light Cutouts	2.5"	
GM3037	MFH40012424	24" x 24" Stainless Steel 430SS, Quarter Fender Set Tube Bracketed		
GM3039	MFH40012429	24" x 29" Stainless Steel 430SS, Quarter Fender Set Tube Bracketed		
GM3048	648SS-1	Stainless Steel 28", 45° Angled, MFH275S	1 - 1/8"	

EXHAUST CLAMP



GBK P/N	Cross Ref.	Size in Inches	Description
GFC225	20B-225	2.25"	Butt Joint Clamp Stainless steel clamp designed for maximum stretch for tight take up on pipe. Exclusive reaction block provides equal distribution of stretching forces that prevents pipe distortions while providing a complete seal around.
GFC25	20B-250	2.5"	
GFC275	20B-275	2.75"	
GFC3	20B-300	3"	
GFC35	20B-350	3.5"	
GFC4	20B-400	4"	
GFC5	20B-500	5"	
GFC6	20B-600	6"	
GSSC2	20S-200 20A-200	2"	
GSSC225	20S-225 20A-225	2.25"	
GSSC25	20S-250 20A-250	2.5"	Lap Joint Clamp Stainless steel clamp with an exclusively developed fastening system and a Gtented reaction block that creates the power to stretch the band tightly around the pipe without distortion. High strength plated pre-formed band can be torques from each side.
GSSC275	20S-275 20A-275	2.75"	
GSSC3	20S-300 20A-300	3"	
GSSC35	20S-350 20A-350	3.5"	
GSSC4	20S-400 20A-400	4"	
GSSC5	20S-500 20A-500	5"	
GSSC6	20S-600 20A-600	6"	

AXLE HUB COVER

GBK P/N	Description	Photos
<p>GC10WH</p>	<p>Chrome ABS Dome Style complete hub cover kit includes 2 front covers with 20 nut covers, 4 rear covers with 40 nut covers, and installation tool — fits 22.5" & 24.5" 10-lug semi truck wheels.</p>	
<p>GC20WH</p>	<p>Chrome ABS Spike Style complete hub cover kit includes 2 front covers with 20 nut covers, 4 rear covers with 40 nut covers, and installation tool — fits 22.5" & 24.5" 10-lug semi truck wheels.</p>	
<p>GC30WH</p>	<p>Chrome ABS Cylinder Style complete hub cover kit includes 2 front covers with 20 nut covers, 4 rear covers with 40 nut covers, and installation tool — fits 22.5" & 24.5" 10-lug semi truck wheels.</p>	

ALTERNATOR

GBK P/N	VOLTA GE	AMPER AGE	ROTATI ON	PULLEY	DESIGN	OE	SIERES	Cross Ref		LESTER #
GA8001	12	110	CW	NP	IR/EF	MOTORO LA	8LHP	8LHP2172VA H	8LHP2172 VAH	8409
GA8002	12	130	CW	S6	IR/IF	DELCO	AD244	10464405	10480234	8237
GA8003	12	150	CW	S6	IR/IF	DELCO	AD244	10464468	15062413	8290
GA8004	12	145	CW	S6	IR/IF	DELCO	DR44G	15200109	15200109	8292
GA8005	12	160	CW	S6	IR/IF	DELCO	DR44G	15093928	15857608	8301
GA8006	12	130	CW	S6	IR/IF	POONGS UNG		37300-3C120	02131-9153	11191
GA8007	24	27	CW	V1	IR/EF	BOSCH		43370025, 4786913, 4808519, 4808521, 4808522, 4808523, 4808524, 4808525, 4808526, 4814684	63320025	12026
GA8008	24	60	CW	V2	IR/IF	MITSUBIS HI		5001847422, 5010306538	A003TA8 291	20003
GA8009	24	80	CW	S8	IR/IF	BOSCH		0-124-555-006		12812
GA8010	12	145	CW	S6	IR/IF	DELCO	DR44G	10392759	15200268	8302
GA8011	12	145	CW	S6	IR/IF	DELCO	DR44G	10392759	15200268	8302-6G2
GA8012	12	63	CW	V1	IR/EF	DELCO	10SI	1100125	1100125	7127-SE
GA8013	12	63	CW	V1	IR/EF	DELCO	10SI	1100125	1100125	7127-SECN
GA8014	24	63	CW	V1	IR/EF	DELCO	10SI	1100125	1100125	7127-SECN(24 V)
GA8015	12	105	CW	V1	IR/EF	DELCO	10SI	1100125	1100125	7127-SE105

ALTERNATOR

GBK P/N	VOLTAGE	AMPERAGE	ROTATION	PULLEY	DESIGN	OE	SIERES	Cross Ref		LESTER #
GA8016	12	105	CW	V1	IR/EF	DELCO	10SI	1100125	1100125	7127-SEI05C
GA8017	12	63	CW	V1	IR/EF	DELCO	10SI	1102494	1102494	7127
GA8018	12	63	CW	V1	IR/EF	DELCO	10SI	1105522	1105556	7127-3
GA8019	12	78	CW	V1	IR/IF	DELCO	12SI		10495429, 1100259, 1100270, 1101279, 1105628	7273-12
GA8020	12	63	CW	V1	IR/EF	DELCO	10SI	1100131	1100125	7127-12
GA8021	12	63	CW	V1	IR/EF	DELCO	10SI	1100131	1100125	7127-12-3P
GA8022	12	94	CW	V1	IR/EF	DELCO	12SI	10463060	10463397	7294-12
GA8023	24	55	CW	NP	IR/EF	VALEO		11063163-7, VOE11063163, VOE9011063163	A14N206M	12417
GA8024	24	35	CW	NP	IR/IF	DELCO		1516610R	0-120-488-153	12219

GBK P/N	VOLTAGE	AMPERAGE	ROTATION	PULLEY	DESIGN	OE	SIERES
GA8025	24	27	CW	NP	IR/EF	BOSCH	
GA8026	24	80	CW	NP	IR/IF	LETRIKA (ISKRA)	
GA8027	24	27	CW	NP	IR/EF	BOSCH	
GA8028	12	51		V1	ER/EF	MOTOROLA	INDUSTRIAL
GA8029	12	130	BI	NP	IR/EF	DELCO	21SI
GA8030	12	160	BI	NP	IR/EF	MOTOROLA	8LHA

ALTERNATOR

GBK P/N	VOLTAGE	AMPERAGE	ROTATION	PULLEY	DESIGN	OE	SIERES
GA8031	12	130	BI	NP	IR/EF	DELCO	21SI
GA8032	12	61	CW	V1	IR/EF	DELCO	10SI
GA8033	12	72	CW	V1	IR/EF	DELCO	10SI
GA8034	12	72	CW	V1	IR/EF	DELCO	10SI
GA8035	24	50	BI	NP	IR/EF	DELCO	25SI
GA8036	12	42	CW	V1	IR/EF	DELCO	10SI
GA8037	24	45	BI	NP	IR/EF	DELCO	20SI
GA8038	12	63	CW	V1	IR/EF	DELCO	10SI
GA8039	24	45		NP	IR/EF	BOSCH	
GA8040	12	34	CW	V1	IR/EF	LETRIKA (ISKRA)	
GA8041	12	80	BI	S8	IR/EF	DELCO	27SI
GA8042	12	75	BI	V2	IR/EF	DELCO	25SI
GA8043	12	65	BI	NP	IR/EF	DELCO	27SI
GA8044	12	51	CW	NP	IR/EF	MOTOROLA	INDUSTRIAL
GA8045	24	45	BI	NP	IR/EF	BOSCH	
GA8046	12	160	CW	NP	IR/EF	MOTOROLA	8LHA
GA8047	12	100	BI	NP	IR/EF	DELCO	21SI
GA8048	12	130	BI	S7	IR/EF	DELCO	21SI
GA8049	12	160	BI	S4	IR/EF	DELCO	21SI
GA8050	12	130	BI	NP	IR/EF	LEECE-NEVILLE	2300-2800J

ALTERNATOR

GBK P/N	VOLTAGE	AMPERAGE	ROTATION	PULLEY	DESIGN	OE	SIERES
GA8051	12	100	CW	NP	IR/EF	DELCO	22SI
GA8052	12	130	CW	NP	IR/EF	DELCO	22SI
GA8053	12	160	CW	NP	IR/EF	LEECE-NEVILLE	2300-2800J
GA8054	12	94	CW	V1	IR/EF	DELCO	12SI
GA8056	12	115	BI	NP	IR/EF	DELCO	
GA8057	12	115	BI	NP	IR/EF	DELCO	
GA8058	12	130	BI	NP	IR/EF	DELCO	
GA8059	12	115	BI	NP	IR/EF	DELCO	
GA8060	12	145	BI	NP	IR/EF	DELCO	
GA8061	12	105	BI	NP	IR/EF	DELCO	
GA8062	12	130	CW	NP	IR/EF	DELCO	
GA8063	12	100	CW	NP	IR/EF	DELCO	
GA8064	12	110	BI	NP	IR/EF	DELCO	
GA8065	12	135	BI	NP	IR/EF	DELCO	
GA8066	12	110	BI	NP	IR/EF	DELCO	
GA8067	12	135	BI	NP	IR/EF	DELCO	
GA8068	12	135	BI	NP	IR/EF	DELCO	
GA8069	12	100	CW	NP	IR/EF	DELCO	
GA8070	12	150	CW	NP	IR/EF	DELCO	
GA8071	12	135	BI	NP	IR/EF	DELCO	
GA8072	12	140	BI	NP	IR/EF	DELCO	

ALTERNATOR



GBK P/N	VOLTAGE	AMPERAGE	ROTATION	PULLEY	DESIGN	OE	SIERES
GA8073	12	140	BI	NP	IR/EF	DELCO	
GA8074	12	170	BI	NP	IR/EF	DELCO	
GA8075	12	160	CW	NP	IR/IF	DELCO	
GA8076	12	160	CW	NP	IR/IF	DELCO	
GA8077	12	105	BI	NP	IR/EF	LEECE-NEVILLE	
GA8078	12	130	BI	NP	IR/EF	LEECE-NEVILLE	
GA8079	12	160	CW	NP	IR/EF	LEECE-NEVILLE	
GA8080	12	160	CW	NP	IR/EF	LEECE-NEVILLE	
GA8081	12	130	BI	NP	IR/EF	MOTOROLA	
GA8082	12	160	CW	NP	IR/EF	MOTOROLA	
GA8083	12	160	CW	NP	IR/EF	MOTOROLA	
GA8084	24	60	CW	NP	IR/EF	DELCO	
GA8106	12	80	CW	NP	IR/IF	DELCO	24SI
GA8107	12	160	CW	NP	IR/EF	DELCO	24SI
GA8110	12	200	CW	NP	IR/EF	DELCO	28SI

CONTACT US

GBK USA INC.

Address: 80 Theodore FremdAve., Rye, NY 10580

Warehouse: 123 Christie St Newark NJ

Website: <https://www.GBKparts.com>

Email: admin@GBKparts.com

Tel: 718-971-0993

GENUINE OEM Quality

GBK series improve the performance and lifetime of the brakes components.