




GBK USA INC.

TRUCK AND TRAILER SPECIALIST



GBK USA INC.

2026 PRODUCT CATALOG

Premium Quality of Brake System Components.
Extensive Line of Brake Drum, Hub, Rotor.
International Quality Standard - ISO 9001 / IATF 16949
US Standard FMVSS-121

Contact 718-971-0993 | Email: admin@gbkparts.com | Web: <https://gbkparts.com>



GBK USA INC.

Stop Strong. Drive Far.

**BRAKE
COMPONENTS**

P4



01

**BRAKE SHOES
LINING, KITS**

P6



02

ROTOR

P8



03

BRAKE CHAMBER

P9



04

**AUTOMATIC
SLACK ADJUSTER**

P11



05

LANDING GEAR

P13



06

AIR DRYER

P14



07

CHROME PARTS

P18



08

ALTERNATOR

P25



09

AIR FILTERS

P30



10

GBK USA

TABLE OF CONTENTS

ABOUT US

GBK USA INC. DBA GBK Truck Parts specializes in Heavy Duty truck and trailer parts in USA, Canada. We focus on our high quality and low-cost products. Our products have been approved for SAE standard and FMVSS-121 and performs for a very long time.

MISSION

To provide reliable, high-performance parts for Medium-duty, heavy-duty trucks and trailers, ensuring safety and durability on every mile.

VISION

To become the most trusted brand in North America for heavy-duty braking systems through innovation, quality, and customer commitment.

CORE VALUES



QUALITY FIRST



RELIABILITY



INTEGRITY



CUSTOMER FOCUS



INNOVATION

GBK MANUFACTURING STANDARD

GBK's standard products use one source of raw materials, product castings and machining dimensions, paint, E-coat antirust oil, pallet materials and dimension, plastic cloth, steel belt, casting marks, paint marks — and there is a laser print on every product surface to ensure a high level of quality. We produce in mass quantity using the same production line, making production more economical. We have available inventory on most popular products and can deliver promptly.

CERTIFICATION & COMPLIANCE

All GBK products comply with SAE International and FMVSS-121 standards. Our factories maintain ISO/TS16949 and ISO9001 certifications to ensure consistency in every production run.



BRAKE DRUM

GBK brake drums are precision-balanced for trucks and trailers, available in popular brake sizes from 15"×4" to 16.5"×8.62". Manufactured to SAE and FMVSS-121 standards with E-coat anti-rust treatment for extended service life. Compatible with Meritor, Bendix, and major OEM axle systems.



GBK P/N	Cross Ref	Info	Weight (lbs)	Brake Size	Bolt Holes	GBK Brake Shoes No.
GD3000	3922X /56864B / TF1657BXN / 151.6726BA /HDV1601B	Balanced	102	16.5*7	10	B-470723K
GD3001	3600AX /65867B/TF1657B XN/151.6700BA	Balanced	108	16.50×7	10	B-470723K
GD3012	3687X/65152B/65 162B/151.6602BA	Balanced	105	16.50×6	10	
GD3018	3710X/65710B/TF3 710X/151.6501BA	Balanced	96	16.50×5	10	
GD3022	3141B/66875B	Balanced	105	16.50×7	10	
GD3025	3166/66853B/ 66893B/151.6713/ HDV1603	Balanced	115	16.50×7	10	
GD3027	2983C/67518F/151. 6704/HDV1605	Balanced	108	16.50×7	10	
GD3034	3295B/68981B/151. 6722	Balanced	107	16.50×7	10	
GD3040	3782X/66800B	Balanced	75	16.5*8	10	

BRAKE DRUM

GBK brake drums are precision-balanced for trucks and trailers, available in popular brake sizes from 15"×4" to 16.5"×8.62".

Manufactured to SAE and FMVSS-121 standards with E-coat anti-rust treatment for extended service life. Compatible with Meritor, Bendix, and major OEM axle systems.



GBK P/N	Cross Ref	Info	Weight (lbs)	Brake Size	Bolt Holes	GBK Brake Shoes No.
GD3044	3721AX/77528B/ 61528B/151.5401B A/HDV1501B	Balanced	77	15" × 4"	10	
GD3046	3721X/61527B	Balanced	79	15" x 4"	10	
GD3052	3807X/66854F/ 66809B/151.6860 7BA	Balanced	118	16.5" x 8.62"	10	B-471023K
GD3053	3800X/65548B/1 51.5403BA	Balanced	77	15" x 4"	10	
GD3055	3750X/61988B	Balanced	112	15" x 8.62"	10	
GD3057	3774X/65154B	Balanced	84	15" x 5"	10	
GD3059	3757X/66353B/1 51.6714BA	Balanced	114	16.5" x 7"	10	
GD3061	3887/63680F	Balanced	83	12.25" x 7.5"	8	
GD3054	3758X/65151B	Balanced	96	16.5" x 5"	10	
GDSS1657	Webb 96864B / Meritor Steellite 53-123537-002	Balanced	89	16.5" x 7.6"	10	

BRAKE SHOES, LINING, KITS



GBK P/N	Grade	Size	Rivets	KITS
B-1308E	23K. FF	15"*4"	14	E5139
B-1308Q	23K. FF	15"*4"	14	E3869, KIT8029
BS1308T	23K. FF	15"*4"	14	
BS1443	23K. FF	15"*4"	14	
B-1443E	23K. FF	15"*5"	14	E5139
BS4223E	23K. FF	16.5"*5"		
BS4228F	23K. FF	14.5"*6"		
B-4311E	23K. FF	16.5"*7"	28	E1887AHD
BS4317E	23K. FF	16.5"*6"		
B-4398B	23K. FF	14.5"*5"		
B-4471	23K. FF	18"*7"		
B-4514	23K. FF	16.5"*6"		E2769SHD, KIT8000HD
B-4515E	23K. FF	16.5"*7"	32	E1816SHD, KIT9001
B-4515Q23K	23K. FF	16.5"*7"	32	E2769SHD, KIT8000HD
B-4516	23K. FF	16.5"*8"		
B-4524Q	23K. FF	16.5"*5"		E2769SHD, KIT8000HD
B-4536	23K. FF	12.25"*5.5"	18	

BRAKE SHOES, LINING, KITS



GBK P/N	Grade	Size	Rivets	KITS
B-4551E	23K. FF	16.5" x 8.65"	32	
B-4551H	23K. FF	16.5" x 8.65"	32	
B-4551P	23K. FF	16.5"*8.65"	32	
B-4551Q	23K. FF	16.5" x 8.65"	32	E2769SHD, KIT8000HD
B-4591E	23K. FF	16.5" x 7.5"	24	
B-4702Q23K	23K. FF	15" x 4"	16	E9064, KIT8824HD
B-4705	23K. FF	15" x 7"	32	
B-4707Q	23K. FF	16.5" x 7"	32	
B-4707Q23K	23K. FF	16.5" x 7"	32	E2769SHD, KIT8000HD
B-4709	23K. FF	16.5" x 7"	28	
B-4709ESII23K	23K. FF	16.5" x 7"	32	E10244S
B-4710-23K	23K. FF	15" x 8.62"	32	KIT8824HD/MKT4702K T
B-4711-23K	23K. FF	16.5" x 8.62"	28	KIT8000HD
B-4719-23K	23K. FF	16.5" x 5"	20	R507094/MKT4709ES2 -N
B-4720-23K	23K. FF	16.5" x 5"	16	KIT8081
B-4724	23K. FF	15" x 10"		E9039
B-4725-23K	23K. FF	16.5" x 6"	20	R507094
B-4726-23K	23K. FF	16.5"*8.62"	32	MKT4709ES2-N

ROTOR

GBK disc brake rotors are precision-machined for air disc brake systems on heavy-duty trucks and buses. Compatible with SK7, SB7, and EX225 calipers, fitting applications from PACCAR and Freightliner to Volvo, Mack, Prevost, and MCI. Each rotor meets OEM dimensional specifications for reliable, vibration-free braking performance.



GBK P/N	Cross Reference	Caliper	Application
GR800	Meritor M44D76692, Bendix 802569, 802083, Conmet 100025445, Automann 153.1802569, Centric 120.86017, Durabrake 76692, Hendrickson S-29152-17 VOLVO/MACK 21538404	SK7	PACCAR Front
GR801	Meritor M44D76618, Webb 56096P, Bendix 802081, K035873	SK7	29 Front FL Century and Columbia 2010 to Present
GR802	Meritor M44D76617, Bendix 802082	SK7	FL, Mack, Volvo Front
GR803	Meritor M44D76612, Bendix K021958, Webb 55060P, B221412 / 82135830 / 1415147	SB7	Nova Bus
GR804	Meritor M44D76603, Bendix 1137415N, Prevost 611188, 611456	SB7	Bendix, Prevost Front & Tag Axles
GR805	Meritor 123547, 23-123547-002, 3218Z1404, MCI 15-02-1010	SB7	Meritor, MCI E Bus All Axles
GR806	Meritor 68326014, Webb 54220P, 454220F, MCI 15-02-1067	EX225	MCI J&D Bus Front&Tag
GR807	Meritor M44D6604, Bendix K021959, 1137986, Webb 56050F, Prevost 611457, 621672	SB7	Bendix, Prevost Drive Axle
GR808	Meritor M44D76642, Bendix K034497BXW, Z000557, 658470 / 658739/ 657303	SK7	Bendix OTR Calipers
GR809	Meritor MBR9016, 68323736, 68325977, Van Hool 10721062, 10977055	SB7	Van Hool Drive Axles

REGULAR BRAKE CHAMBER

GBK#	Industrial No.	Description	Weight (lbs)	Picture
GT-20/24	OTR2024AD		17.15	
GT-24/24	MA1544119QE410AP3		17.86	
GT-24/30	16078119QE453RP3		20	
GT-24/30LS	19QE453RP3		21	
GT-30/30	MA1543119QE441RP1	Brake Chamber T3030 Regular Stroke with clevis, gold, sealed bottom, 2.5" stroke, long PUSH ROD 13"	21	
GT-30/30U	MA15431		21	
GT-30/30L	T30/30DD-L	Brake Chamber 3030 Long Stroke with clevis, gold, sealed bottom, 3" stroke, long PUSH ROD 13"	21.1	
GT-30/30WC	T30/30-WC	Spring Brake, Welded Clevis, 2.5" Stroke, 3/8"-18NPT		
GT-9	MA36090		4.19	
GT-12	288795		5.07	
GT-16	KN36160288799		6.61	

REGULAR BRAKE CHAMBER

GBK#	Industrial No.	Description	Weight (lbs)	Picture
GT-20	KN36200288803	T20 2.25" Standard Stroke, 8.7" Push Rod, 5/8"-18 UNF, Bolt Spacing 4.75". Cross Ref. Bendix 800824, Haldex SC20	8.82	
GT20L	KN36200288803		9.04	
GT-24	KN36240MA36240288808	T24, 2.5" Stroke 8.7" Push Rod, 5/8"-18 UNF, Bolt Spacing 4.75". Cross Ref. Bendix 5008636, Haldex SC24L, Meritor 24SCN2, MGM 1427001	9.04	
GT-30	KN36300288813	T30, 2.5" Standard Stroke, 8.7" Push Rod, 5/8"-18 UNF, Bolt Spacing 4.75". Cross Ref. Bendix 800826, Haldex SC30, Meritor E-BC30S, MGM 1431001	10.58	

DISC BRAKE CHAMBER

GBK#	Industrial No.	Stroke	Port Thread	Bolt Thread	Push Rod thread	Push rod length	
GT-18/24D	T18/24DD-Disc	2.25"	3/8"-18NPT	5/8"-11UNC	5/8"-18UNF	0.6"	
GT-16/24D	T-16/24DD-Disc	2.25"	3/8"-18NPT	5/8"-11UNC	5/8"-18UNF	0.6"	
GT-20/24D	T-20/24DD	3"	3/8"-18NPT	5/8"-11UNC	5/8"-18UNF	0.6"	
GT-22/24D	T-22/24DD	3"	3/8"-18NPT	5/8"-11UNC	5/8"-18UNF	0.6"	
GT-24/24	T-24/24DD	3"	3/8"-18NPT	5/8"-11UNC	5/8"-18UNF	0.6"	

AUTOMATIC SLACK ADUSTER

Our Performance Advantages:

- Maximum reliability and robustness
- Lowest cost and lightest weight on the market
- Only ASA that adjusts on chamber stroke

Uniquely designed to adjust on chamber stroke, GBK ASAs ensure precise, consistent brake adjustment on every stop — minimizing maintenance downtime and keeping your fleet fully compliant on every mile.



GBK P/N	Industrial No.		Arm Length	No. Of Splines	Splines Dia.
GA1133	Gunite:AS1133 Sirco:2172	Bendix: 065172 MidGBK:CS56033	6"	10	1-1/2"
GA1132	Gunite:AS1132/AS1147 Sirco:SA2170 Meritor: R801042	Bendix:065170 MidGBK:CS56032	6"	10	1-1/2"
GA1140	Gunite:AS1140 Sirco:SA2174 Meritor: R801079	Bendix:065174 MidGBK:CS56040	5-1/2"	28	1-1/2"
GA1141	Gunite:AS1141/AS1151 Sirco:SA2175	Bendix:065175 MidGBK:CS56041	6-1/2"	28	1-1/2"
GA1144	Gunite:AS1144 MidGBK:CS56044	Bendix:065179 Sirco:SA2179	6"	37	1-5/8"
GA11398	Meritor: R801041	Euclid: 11398	5.5"	10	1-1/2"
GA11399	Meritor: R801042	Euclid:11399	6"	10	1-1/2"
GA801073	Meritor:R801073	Euclid:11401	5.5"	28	1-1/2"
GA801074	Meritor:R801074	Euclid:11402	6"	28	1-1/2"
GA11395	Meritor:R801001	Euclid:11395	5.5"	10	1-1/4"
GA11396	Meritor:R801002	Euclid:11396	5.5"		1-1/4"

AUTOMATIC SLACK ADUSTER

Our Performance Advantages:

- Maximum reliability and robustness
- Lowest cost and lightest weight on the market
- Only ASA that adjusts on chamber stroke

Uniquely designed to adjust on chamber stroke, GBK ASAs ensure precise, consistent brake adjustment on every stop – minimizing maintenance downtime and keeping your fleet fully compliant on every mile.



GBK P/N	Industrial No.	Arm Length	No. of Splines	Splines Dia.
GA11405	Meritor:R801101 Euclid:11405	5.5"		1-5/8"
GA801102	Meritor:R801102	6"		1-5/8"
GA10103	SA10103 Euclid:E-6924B Spicer:818552, Meritor:R806022 Haldex: 40010143 BWP: M-4058 Dayton: 05-661	5.5"& 6.5"	10	1-1/2"
GA10211	SA10211, KSA10211, BWP:M-4065, Euclid:E-6944 Meritor:R806019, Haldex:40010211, 400-10211, 409-10683, 40910683, BWP: M-4065, Dayton: 05-668	5.5"	28	1-1/2"
GA10101	SA10101, KSA10141, BWP: M-4060, Haldex: 40010141, 400-10141, 409-10814, 40910814, 409-10408, 40910408, 409-10650, 40910650, Euclid E-6927B, KSA10141, Dayton: 05-663	5.5" & 6.5"	28	1-1/2"
GA1041	Meritor: R801071/801075 Gunite: 1041/1141 Euclid: E11402	6"	28	1 1/2"
GA1039	Haldex: 400-10140 Gunite AS1039 Euclid: E-6925B	5.5"	28	1 1/2"
GA10212	Haldex: 400-10212	6"	28	1 1/2"
GA1039	Haldex: 400-10140 Gunite AS1039 Euclid: E-6925B	5.5"	28	1 1/2"
GA10212	Haldex: 400-10212	6"	28	1 1/2"

LANDING GEAR


GBK landing gears are built for heavy trailer operations, supporting static loads up to 170,000 lbs.



GBK P/N	Cross Ref.	Gear Box	Mount Type	Mounting Plate	Height	Travel Dist.	SHOES TYPE	Lift Capacity (lbs)	Static Load (lbs)
LG5517	51000 / ATLAS 55	Outer	Universal	8 holes	28.6"	17"	Standard Sandshoe	55,000 lbs	170,000 lbs
LG5519	51000 / ATLAS 55	Outer	Universal	8 holes	30.7"	19"	Standard Sandshoe	55,000 lbs	170,000 lbs
LG6514	ATLAS 65 50000	Outer	Universal	10 holes	28"	14"	Standard Sandshoe	60,000 lbs	170,000 lbs
LG6517	ATLAS 65 50000	Outer	Universal	10 holes	31"	17"	Standard Sandshoe	60,000 lbs	170,000 lbs
LG6519	ATLAS 65 50000	Outer	Universal	10 holes	33"	19"	Standard Sandshoe	60,000 lbs	170,000 lbs
LG6527	ATLAS 65 50000	Outer	Universal	10 holes	31"	17"	Low Profile Sandshoe	60,000 lbs	170,000 lbs
LG6529	ATLAS 65 50000	Outer	Universal	10 holes	33"	19"	Low Profile Sandshoe	60,000 lbs	170,000 lbs
LG4007	Jost A400.T.17	Inner	Outer mount	10 holes	31"	17"	Standard Sandshoe	60,000 lbs	170,000 lbs
LG4009	Jost A400.T.19	Inner	Outer mount	10 holes	33"	19"	Standard Sandshoe	60,000 lbs	170,000 lbs
LG4017	Jost A401.T.17	Inner	Inner mount	10 holes	31"	17"	Standard Sandshoe	60,000 lbs	170,000 lbs
LG4019	Jost A401.T.19	Inner	Inner mount	10 holes	33"	19"	Standard Sandshoe	60,000 lbs	170,000 lbs

AIR DRYER

GBK air dryers protect your truck's air brake system from moisture and contaminants, extending the life of valves, chambers, and lines.



GBK P/N	Cross ref.	SUP Port	DEL Port	CON Port	Heater Voltage
GAD065225	AD-9 065225 / 109685X	1/2"-NPT	1/2"-NPT	1/4"-NPT	12V-75W
GAD065226	AD-9 065226 / 109687X	3/4"-NPT	3/4"-NPT	1/4"-NPT	12V-75W
GAD065224	AD-9 065224 / 800686	1/2"-NPT	1/2"-NPT	1/4"-NPT	24V-75W
GAD800243	800243	3/4"-NPT	3/4"-NPT	1/4"-NPT	24V-75W
GAD065612	AD-IP 065612 / 109477X	1/2"-NPT	1/2"-NPT	1/4"-NPT	24V-90W
GAD065613	AD-IP 065613 / 109478X	1/2"-NPT	1/2"-NPT	1/4"-NPT	12V-90W
GADSS1200P	4324711010	1/2"-NPT	1/2"-NPT	1/4"-NPT	12V-100W
GAD955205	AD-SP R955205	1/2"-NPT	1/2"-NPT	1/4"-NPT	12V-75W
GAD955300	R955300	1/2"-NPT	1/2"-NPT	1/4"-NPT	12V-75W
GAD955079	R955079	1/2"-NPT	1/2"-NPT	1/4"-NPT	12V-75W
GAD800887	AD-SP 800887 / 131031 / 065691	1/2"-NPT	1/2"-NPT	1/4"-NPT	12V-90W
GAD800972	AD-SP 800972 / 131032	1/2"-NPT	1/2"-NPT	1/4"-NPT	24V-90W
GAD092871	AD-9SI K092871	1/2"-NPT	1/2"-NPT	1/4"-NPT	12V-75W

AIR DRYER

GBK air dryers protect your truck's air brake system from moisture and contaminants, extending the life of valves, chambers, and lines.



GBK P/N	Cross ref.	SUP Port	DEL Port	CON Port	Heater Voltage	
GAD092873	AD-9SI K092873	1/2"-NPT	1/2"-NPT	1/4"-NPT	12V-75W No Governor	
GAD9020	LA9020	M22*1.5	M22*1.5	M12*1.5	12V-90W	
GAD4810	ZB4810	M22*1.5	M22*1.5	M12*1.5	12V-90W	
GAD35200	DA35200	1/2"-NPT	1/2"-NPT	1/4"-NPT	12V-90W	
GAD4324252	4324252000	1/2"-NPT	1/2"-NPT	1/4"-NPT	12V-90W	
GAD4324101020	4324101020	M22*1.5	M22*1.5	M12*1.5	12V-90W	
GAD33100(Pure Air Plus)	170.DA33100Aut omann. Haldex DA33100/DA3310 0X/N4250/N425 0N	1/2"-NPT	1/2"-NPT	1/8"-NPT	12V-90W	
GBK P/N	INDUSTRIAL TYPE/No.	SUP Port	PRI Port	SEC Port	PRESSURE	Heater Voltage
GAD800383	AD-IS 800383X	1/2"-NPT	1/4"-NPT	1/4"-NPT	109PSI	12V-90W
GAD801164	AD-IS 801164 / 5010211X	1/2"-NPT	1/4"-NPT	1/4"-NPT	106PSI	24V-90W
GAD801266	AD-IS 801266 / 5010696X / R95550040 50X	1/2"-NPT	1/4"-NPT	1/4"-NPT	109PSI	12V-90W

AIR DRYER CARTRIDGE



GBK P/N	INDUSTRIAL TYPE	INDUSTRIAL NO.
G109994	AD-SP	5008414 /109994 / R950011
G107794	AD-9	107794X
G109493	AD-IP	109493 /065624
G109493PG	AD-IP	109493PG /065624PG
G950011	AD-IS	5008414
G104358	AD-4	104358

AIR DRYER PURGE VALVE

GBK P/N	INDUSTRIAL NO.	Description
GPV800405	AD-9 800405/ 5004341	12V-75W White
GPV5004342	AD-9 5004342 / 5004338	24V-75W Grey
GPV5004381	AD-9 5004381	24V-100W Yellow
GPV800404	AD-IP 800404 / K2022105	
GPV022105	AD-IS/AD-IP/AD-9si K022105	



AIR DRYER REPAIR KIT



GBK P/N	INDUSTRIAL TYPE	INDUSTRIAL NO.
GADK109995	AD-SP Repair Kit	109995
GADK109495	AD-IP Heater Repair Kit 12V-90W White	109495
GADK109496	AD-IP Heater Repair Kit 24V-90W Grey	109496
GADK950015	AD-SP Heater Repair Kit 12V-100W	109493PG / 065624PG
GADK109579	24V-75W Grey	109579
GADK109578	12V-75W White	109578
GADK5002595	24V-100W Yellow	5002595

AIR DRYER VALVE

GBK P/N	INDUSTRIAL TYPE	INDUSTRIAL NO.
GADGV5004049	AD-IS Governor Valve	5004049K / 065018
GADGV800361	AD-IS Governor Valve	800361
GADGV275200	AD-2 275200 Governor Valve	90-105PSI
GADGV275491	AD-2 275491 Governor Valve	100-120PSI
GADGV283657	AD-2 283657 Governor Valve	115-135PSI
GADGV4324709202	AD4324711010 Governor Valve	115-135PSI
GADV107800	AD-9 Check Valve ½" NPT, O-Ring & Grease	107800
GADV140370	Pressure Protective Valve 1/4"NPT Sup Port, 1/4"NPT Del Port 60PSI	140370
GADV140280	Pressure Protective Valve 3/8"NPT Sup Port, 3/8"NPT Del Port 70PSI	140280
GADV286500	Pressure Protective Valve 1/4"NPT Sup Port, 1/4"NPT Del Port 85PSI	286500
GADV288323	Pressure Protective Valve 3/8"NPT Sup Port, 3/8"NPT Del Port 90PSI	288323

MUD FLAP HANGER

GBK P/N	INDUSTRIAL NO.	Description	Bolt Distance	Photo
GM3001	Roadmaster 646CH-1, Automann 562.490C, TRUX TU- 9232	Chrome, 30" Length Heavy Duty Spring Loaded	2.5"	
GM3003	Roadmaster 646CH-3, TRUX TU- 9224	Chrome, 30" Length Heavy Duty Spring Loaded	1 - 1/8"	
GM3004	Roadmaster 646SS-1, Automann 562.490SS304, TRUX TU-921, United Pacific 10654	Stainless Steel 430SS, 30" Length Heavy Duty Spring Loaded	2.5"	
GM3006	Roadmaster 646SS-3, TRUX TU- 9215	Stainless Steel 430SS, 30" Length Heavy Duty Spring Loaded	1 - 1/8"	
GM3007	Roadmaster 646BK-1, Automann 562.490BFS, TRUX TU-9233	Black 30" Length Heavy Duty Spring Loaded	2.5"	
GM3009	Roadmaster 646BK-3, TRUX TU- 9225	Black 30" Length Heavy Duty Spring Loaded	1-1/8"	
GM3013	Roadmaster 646SS-RE-1	W/CONSPICUITY REFLECTOR Stainless Steel 430SS 30" Heavy Duty Spring Loaded	2.5"	

MUD FLAP HANGER

GBK P/N	INDUSTRIAL NO.	Description	Bolt Distance	Photo
GM3015	Roadmaster 646SS-RE-3	W/CONSPICUITY REFLECTOR Stainless Steel 430SS 30" Heavy Duty Spring Loaded	1 - 1/8"	
GM3016	Roadmaster 646BK-RE-1, Automann 562.433 / 562.433FS	W/CONSPICUITY REFLECTOR BLACK 30" Heavy Duty Spring Loaded	2.5"	
GM3018	Roadmaster 646BK-RE-3, Automann 562.411, Betts B573025WTBK	W/CONSPICUITY REFLECTOR BLACK 30" Heavy Duty Spring Loaded	1 - 1/8"	
GM3020	Roadmaster 649BK-2/ MFH30B	Black 30" Straight, Cross Ref MFH30B	1 - 1/8"	
GM3021	Roadmaster 649SS-3, United Pacific 10687	Stainless Steel 30" 430SS Spring Loaded Straight	1-1/8"	
GM3025	Roadmaster 650BK-1, Automann 562.459 / 562.459F	Black 30" Length, Heavy Duty Spring Loaded 45° Angled	2.5"	

MUD FLAP HANGER

GBK P/N	MODEL	Description	Bolt Distance	Photo
GM3027	Roadmaster 650BK-3	Black 30" Length, Spring Loaded 45° Angled	1- 1/8"	
GM3028	Roadmaster 650SS-1, Automann 562.437SS201F	Stainless Steel 430SS, 30" length Spring Loaded 45° Angled	2.5"	
GM3030	Roadmaster 650SS-3, TRUX TU-9223	Stainless Steel 430SS, 30" length Spring-loaded 45° Angled	1- 1/8"	
GM3031	Roadmaster 648BL-1	Black 28", 45° Angled	2.5"	
GM3032	Roadmaster 648B-3, Automann 562.480, United Pacific 10681	Black 28", 45° Angled. Cross Ref. 648B-SL MFH275B	1- 1/8"	
GM3033	Roadmaster 648SS-1	Stainless Steel 28", 45° Angled, MFH275	2.5"	
GM3048	Roadmaster 648S-SL / MFH275S	Stainless Steel 28", 45° Angled, MFH275S	1 - 1/8"	

MUD FLAP HANGER

GBK P/N	MODEL	Description	Bolt Distance	Photo
GM3034	2001SS	Stainless Steel 430SS, Spring Loaded, Light Bar w/ 4" Round Light Cutouts	2.5"	
GM3035	Roadmaster 2002S/ MFH20022126	Stainless Steel 430SS, Spring Loaded Light Bar w/ 6" Oval Light Cutouts	2.5"	
GM3037	Roadmaster MFH40012424	24" x 24" Stainless Steel 430SS, Quarter Fender Set Tube Bracketed		
GM3039	Roadmaster MFH40012429	24" x 29" Stainless Steel 430SS, Quarter Fender Set Tube Bracketed		
GC301	Fortpro F247581	24" x 24", Black Poly Quarter Fender Set		

EXHAUST CLAMP

GBK P/N	Cross Ref.	Size in Inches	Description
GFC225	20B-225	2.25"	Butt Joint Clamp Stainless steel clamp designed for maximum stretch for tight take up on pipe. Exclusive reaction block provides equal distribution of stretching forces that prevents pipe distortions while providing a complete seal around. 
GFC25	20B-250	2.5"	
GFC275	20B-275	2.75"	
GFC3	20B-300	3"	
GFC35	20B-350	3.5"	
GFC4	20B-400	4"	
GC20B-500	20B-500	5"	
GFC6	20B-600	6"	
GSSC2	20S-200 20A-200	2"	
GSSC225	20S-225 20A-225	2.25"	
GSSC25	20S-250 20A-250	2.5"	Lap Joint Clamp Stainless steel clamp with an exclusively developed fastening system and a Gtented reaction block that creates the power to stretch the band tightly around the pipe without distortion. High strength plated pre-formed band can be torques from each side. 
GSSC275	20S-275 20A-275	2.75"	
GSSC3	20S-300 20A-300	3"	
GSSC35	20S-350 20A-350	3.5"	
GSSC4	20S-400 20A-400	4"	
GC20S-500	20S-500 20A-500	5"	
GSSC6	20S-600 20A-600	6"	

AXLE HUB COVER

GBK P/N	Description	Photos
GC10WH	Chrome ABS Dome Style complete hub cover kit includes 2 front covers with 20 nut covers, 4 rear covers with 40 nut covers, and installation tool — fits 22.5" & 24.5" 10-lug semi truck wheels.	
GC10N	Chrome ABS Dome Style 33mm Thread-On Dome Lug Nut Covers, Box of 20, Fits Semi Trucks & Trailers	
GC10F	Chrome ABS Dome FRONT Axle Hub Cover Kit, 2-Piece Set with 20 Lug Nut Covers, Fits 22.5" & 24.5"	
GC10R	Chrome ABS Dome REAR Axle Hub Cover Kit, 4-Piece Set with 40 Lug Nut Covers, Fits 22.5" & 24.5"	
GC20WH	Chrome ABS Spike Style complete hub cover kit includes 2 front covers with 20 nut covers, 4 rear covers with 40 nut covers, and installation tool — fits 22.5" & 24.5" 10-lug semi truck wheels.	
GC20N	Chrome ABS Spike Style 33mm Thread-On Dome Lug Nut Covers, Box of 20, Fits Semi Trucks & Trailers	

AXLE HUB COVER

GBK P/N	Description	Photos
GC20F	Chrome ABS Spike FRONT Axle Hub Cover Kit, 2-Piece Set with 20 Lug Nut Covers, Fits 22.5" & 24.5"	
GC20R	Chrome ABS Spike REAR Axle Hub Cover Kit, 4-Piece Set with 40 Lug Nut Covers, Fits 22.5" & 24.5"	
GC30WH	Chrome ABS Cylinder Style complete hub cover kit includes 2 front covers with 20 nut covers, 4 rear covers with 40 nut covers, and installation tool — fits 22.5" & 24.5" 10-lug semi truck wheels.	
GC30N	Chrome ABS Cylinder Style 33mm Thread-On Dome Lug Nut Covers, Box of 20, Fits Semi Trucks & Trailers	
GC30F	Chrome ABS Cylinder FRONT Axle Hub Cover Kit, 2-Piece Set with 20 Lug Nut Covers, Fits 22.5" & 24.5"	
GC30R	Chrome ABS Cylinder REAR Axle Hub Cover Kit, 4-Piece Set with 40 Lug Nut Covers, Fits 22.5" & 24.5"	

ALTERNATOR



GBK P/N	VOLTAGE	AMPERAGE	ROTATION	PULLEY	DESIGN	OE	SIERES	Cross Ref		LESTER #
GA8001	12	110	CW	NP	IR/EF	MOTOROLA	8LHP	8LHP2172VAH	8LHP2172VAH	8409
GA8002	12	130	CW	S6	IR/IF	DELCO	AD244	10464405	10480234	8237
GA8003	12	150	CW	S6	IR/IF	DELCO	AD244	10464468	15062413	8290
GA8004	12	145	CW	S6	IR/IF	DELCO	DR44G	15200109	15200109	8292
GA8005	12	160	CW	S6	IR/IF	DELCO	DR44G	15093928	15857608	8301
GA8006	12	130	CW	S6	IR/IF	POONGSUNG		37300-3C120	02131-9153	11191
GA8007	24	27	CW	V1	IR/EF	BOSCH		43370025, 4786913, 4808519, 4808521, 4808522, 4808523, 4808524, 4808525, 4808526, 4814684	63320025	12026
GA8008	24	60	CW	V2	IR/IF	MITSUBISHI		5001847422, 5010306538	A003TA8291	20003
GA8009	24	80	CW	S8	IR/IF	BOSCH		0-124-555-006		12812
GA8010	12	145	CW	S6	IR/IF	DELCO	DR44G	10392759	15200268	8302
GA8011	12	145	CW	S6	IR/IF	DELCO	DR44G	10392759	15200268	8302-6G2
GA8012	12	63	CW	V1	IR/EF	DELCO	10SI	1100125	1100125	7127-SE
GA8013	12	63	CW	V1	IR/EF	DELCO	10SI	1100125	1100125	7127-SECN
GA8014	24	63	CW	V1	IR/EF	DELCO	10SI	1100125	1100125	7127-SECN(24V)
GA8015	12	105	CW	V1	IR/EF	DELCO	10SI	1100125	1100125	7127-SF105

ALTERNATOR

GBK P/N	VOLTAGE	AMPERAGE	ROTATION	PULLEY	DESIGN	OE	SIERES	Cross Ref		LESTER #
GA8016	12	105	CW	V1	IR/EF	DELCO	10SI	1100125	1100125	7127-SE105C
GA8017	12	63	CW	V1	IR/EF	DELCO	10SI	1102494	1102494	7127
GA8018	12	63	CW	V1	IR/EF	DELCO	10SI	1105522	1105556	7127-3
GA8019	12	78	CW	V1	IR/IF	DELCO	12SI		10495429, 1100259, 1100270, 1101279, 1105628	7273-12
GA8020	12	63	CW	V1	IR/EF	DELCO	10SI	1100131	1100125	7127-12
GA8021	12	63	CW	V1	IR/EF	DELCO	10SI	1100131	1100125	7127-12-3P
GA8022	12	94	CW	V1	IR/EF	DELCO	12SI	10463060	10463397	7294-12
GA8023	24	55	CW	NP	IR/EF	VALEO		11063163-7, VOE11063163, VOE9011063163	A14N206M	12417
GA8024	24	35	CW	NP	IR/IF	DELCO		1516610R	0-120-488-153	12219

GBK P/N	VOLTAGE	AMPERAGE	ROTATION	PULLEY	DESIGN	OE	SIERES
GA8025	24	27	CW	NP	IR/EF	BOSCH	
GA8026	24	80	CW	NP	IR/IF	LETRIKA (ISKRA)	
GA8027	24	27	CW	NP	IR/EF	BOSCH	
GA8028	12	51		V1	ER/EF	MOTOROLA	INDUSTRIAL
GA8029	12	130	BI	NP	IR/EF	DELCO	21SI
GA8030	12	160	BI	NP	IR/EF	MOTOROLA	8LHA

ALTERNATOR

GBK P/N	VOLTAGE	AMPERAGE	ROTATION	PULLEY	DESIGN	OE	SIERES
GA8031	12	130	BI	NP	IR/EF	DELCO	21SI
GA8032	12	61	CW	V1	IR/EF	DELCO	10SI
GA8033	12	72	CW	V1	IR/EF	DELCO	10SI
GA8034	12	72	CW	V1	IR/EF	DELCO	10SI
GA8035	24	50	BI	NP	IR/EF	DELCO	25SI
GA8036	12	42	CW	V1	IR/EF	DELCO	10SI
GA8037	24	45	BI	NP	IR/EF	DELCO	20SI
GA8038	12	63	CW	V1	IR/EF	DELCO	10SI
GA8039	24	45		NP	IR/EF	BOSCH	
GA8040	12	34	CW	V1	IR/EF	LETRIKA (ISKRA)	
GA8041	12	80	BI	S8	IR/EF	DELCO	27SI
GA8042	12	75	BI	V2	IR/EF	DELCO	25SI
GA8043	12	65	BI	NP	IR/EF	DELCO	27SI
GA8044	12	51	CW	NP	IR/EF	MOTOROLA	INDUSTRIAL
GA8045	24	45	BI	NP	IR/EF	BOSCH	
GA8046	12	160	CW	NP	IR/EF	MOTOROLA	8LHA
GA8047	12	100	BI	NP	IR/EF	DELCO	21SI
GA8048	12	130	BI	S7	IR/EF	DELCO	21SI
GA8049	12	160	BI	S4	IR/EF	DELCO	21SI
GA8050	12	130	BI	NP	IR/EF	LEECE-NEVILLE	2300-2800J

ALTERNATOR

GBK P/N	VOLTAGE	AMPERAGE	ROTATION	PULLEY	DESIGN	OE	SIERES
GA8051	12	100	CW	NP	IR/EF	DELCO	22SI
GA8052	12	130	CW	NP	IR/EF	DELCO	22SI
GA8053	12	160	CW	NP	IR/EF	LEECE-NEVILLE	2300-2800J
GA8054	12	94	CW	V1	IR/EF	DELCO	12SI
GA8056	12	115	BI	NP	IR/EF	DELCO	
GA8057	12	115	BI	NP	IR/EF	DELCO	
GA8058	12	130	BI	NP	IR/EF	DELCO	
GA8059	12	115	BI	NP	IR/EF	DELCO	
GA8060	12	145	BI	NP	IR/EF	DELCO	
GA8061	12	105	BI	NP	IR/EF	DELCO	
GA8062	12	130	CW	NP	IR/EF	DELCO	
GA8063	12	100	CW	NP	IR/EF	DELCO	
GA8064	12	110	BI	NP	IR/EF	DELCO	
GA8065	12	135	BI	NP	IR/EF	DELCO	
GA8066	12	110	BI	NP	IR/EF	DELCO	
GA8067	12	135	BI	NP	IR/EF	DELCO	
GA8068	12	135	BI	NP	IR/EF	DELCO	
GA8069	12	100	CW	NP	IR/EF	DELCO	
GA8070	12	150	CW	NP	IR/EF	DELCO	
GA8071	12	135	BI	NP	IR/EF	DELCO	
GA8072	12	140	BI	NP	IR/EF	DELCO	

ALTERNATOR

GBK P/N	VOLTAGE	AMPERAGE	ROTATION	PULLEY	DESIGN	OE	SIERES
GA8073	12	140	BI	NP	IR/EF	DELCO	
GA8074	12	170	BI	NP	IR/EF	DELCO	
GA8075	12	160	CW	NP	IR/IF	DELCO	
GA8076	12	160	CW	NP	IR/IF	DELCO	
GA8077	12	105	BI	NP	IR/EF	LEECE-NEVILLE	
GA8078	12	130	BI	NP	IR/EF	LEECE-NEVILLE	
GA8079	12	160	CW	NP	IR/EF	LEECE-NEVILLE	
GA8080	12	160	CW	NP	IR/EF	LEECE-NEVILLE	
GA8081	12	130	BI	NP	IR/EF	MOTOROL A	
GA8082	12	160	CW	NP	IR/EF	MOTOROL A	
GA8083	12	160	CW	NP	IR/EF	MOTOROL A	
GA8084	24	60	CW	NP	IR/EF	DELCO	
GA8106	12	80	CW	NP	IR/IF	DELCO	24SI
GA8107	12	160	CW	NP	IR/EF	DELCO	24SI
GA8110	12	200	CW	NP	IR/EF	DELCO	28SI

AIR FILTER

Image	GBK P/N	Cross Ref.	Category	Description
	GAF588	OEM 333648001, DNP610260, Baldwin CA5790, Donaldson P610260, P618478, FleetGuard AF27879	Air Filters	Heavy duty air filter for Freightliner Cascadia.
	GAF688	OEM 03-42776-010, 0342776010	Air Filters	Heavy duty air filter for New Freightliner Cascadia.
	GAF689	OEM P621725, P637453, Baldwin PA32000, Donaldson P621725, P637453	Air Filters	Heavy duty air filter for Kenworth T680, T800, T880, Peterbilt 567, 579.
	GAF690	OEM 2602212C1, 2517298C1, Baldwin PA32001, Donaldson P616050, P623400, FleetGuard AF4222	Air Filters	Heavy duty air filter for International 4300, 4300LP, 4400, DuraStar, TerraStar.
	GAF692	OEM 336867002, 336867010, 03-36867-010, Baldwin PA32002, Donaldson P629641	Air Filters	Heavy duty air filter for Freightliner 122SD, Cascadia, Coronado, Coronado SD, Western.
	GAF692-A	OEM A35925, 14639610, AF607955, Baldwin CA4700, Donaldson P607955, P548070, FleetGuard AF26154	Air Filters	Heavy duty air filter for Freightliner.
	GAF693	OEM DNP607965, 14639712, 87812, Baldwin CA5368, Donaldson P544325, P607965, FleetGuard AF26424	Air Filters	Heavy duty air filter for Freightliner Business Class M2.

AIR FILTER

Image	GBK P/N	Cross Ref.	Category	Description
	GAF695	20411815, Baldwin RS4642, Donaldson P606720, P605551, FleetGuard AF26163M, AF26472M	Air Filters	Heavy duty air filter for Volvo.
	GAF696	3551814C1, Baldwin RS4862, Donaldson P613336, FleetGuard AF26103	Air Filters	Heavy duty air filter for International.
	GAF699	3560734C1, F1HT 9600BB, F1HZ 9601B, Baldwin RS3518, Donaldson P185069, P526947, P527682, FleetGuard AF25139M	Air Filters	Heavy duty air filter for Ford, Freightliner, International, Sterling, White GMC.
	GAF700	DNP534096, 3I-2114, Baldwin RS3516, Donaldson P534096, FleetGuard AF25219	Air Filters	Heavy duty air filter for Freightliner, Peterbilt 386.
	GAF701	2005895-C1, RE63931, Baldwin RS3530, Donaldson P533235, FleetGuard AF25033	Air Filters	Heavy duty air filter for International, John Deere Equipment.
	GAF703	57MD48M, 57MD320M, 25100042, Baldwin RS4634, Donaldson DBA5114, EAF5114, FleetGuard	Air Filters	Heavy duty air filter for Mack.
	GAF705	RS3534, AF25248, LAF3302, Baldwin RS3534, Donaldson P534925, EAF5101, FleetGuard AF25248	Air Filters	Heavy duty air filter for Kenworth, Peterbilt, Western Star.
	GAF707	3946288, AF1968M, Baldwin PA2705, Donaldson EAF5053, G112404, G112504, AF1968, AF1968M, FleetGuard AF26328	Air Filters	Heavy duty air filter for Mack CL, CX, RW Series, Peterbilt 362, 372, 378, 379.

AIR FILTER

Image	GBK P/N	Cross Ref.	Category	Description
	GAF709	OEM PA2312, AF853, LL2312, Baldwin PA2312, Donaldson P181007	Air Filters	Heavy duty air filter for Mack.
	GAF710	OEM 25320913, Baldwin PA2677, Donaldson P771003, EAF5074, P138427, FleetGuard AF1965M	Air Filters	Heavy duty air filter for Kenworth, Peterbilt, Western Star.
	GAF712	OEM 87455, 2242953, 1842426, Baldwin RS3750, Donaldson P542101, P549644, FleetGuard AF25598	Air Filters	Heavy duty air filter for Mack CL, CX, RW Series, Peterbilt 362, 372, 378, 379.
	GAF714	OEM A256C, Baldwin PA2608, Donaldson EAF5102, P181186, FleetGuard AF996M	Air Filters	Heavy duty air filter for R.V.I. (Renault Vehicles Industriels).
	GAF715	OEM 1559418, 580048838, Baldwin PA5584, Donaldson P611858, P604457, P603712, FleetGuard AF4263	Air Filters	Heavy duty air filter for MACK.
	GAF716	OEM 11-9300, 20129300, Baldwin RS5387 KIT, Donaldson P953446, FleetGuard AF25119	Air Filters	Heavy duty air filter for Kenworth T2000, T700, W900, Peterbilt.
	GAF807	Baldwin D37-1061	Air Filters	Heavy duty air filter for Kenworth C500, W900, Peterbilt 372, 375, 379.
	GAF798	OEM 91559, BO91559, BOA91559, Baldwin PA4857, Donaldson P609422, FleetGuard AF26235	Cabin Filters	Heavy duty air filter for Hyster, Yale Equipment.

AIR FILTER

Image	GBK P/N	Cross Ref.	Category	Description
	GAF800	8089705, 8081432, Baldwin PA3986, Donaldson P606960, FleetGuard AF26435	Air Filters	Heavy duty cabin air filter for Volvo.
	GAF809	A4720900651, A4720900451, A4720900551, Donaldson P551063, FleetGuard FK13850NN	Air Filters	Heavy duty oil filter.
	GAF811	P551005, MX905453, MX912181, Donaldson P551005, FleetGuard LF17511	Air Filters	Heavy duty oil filter.

CONTACT US

GBK USA INC.

Address: 80 Theodore Fremd Ave., Rye, NY 10580

Warehouse: 123 Christie St Newark NJ

Website: <https://www.GBKparts.com>

Email: admin@GBKparts.com

Tel: 718-971-0993

GENUINE OEM Quality

GBK series improve the performance and lifetime of the truck and trailer components.